HEAD OFFICE



38 May Holman Drive Bassendean WA 6054 T: (61 8) 6270 4500 F: (61 8) 6270 4544

E: admin@agentsales.com.au

Safety Data Sheet

1. IDENTIFICATION OF THE PRODUCT AND THE SUPPLIER

1.1 Product identifiers

Product name : TRUCK WASH

1.2 Other means of identification

Alkaline degreasing agent

1.3 Recommended use of the product and restrictions on use

For removal of grease, oil stains and adsorbed material from external truck surfaces.

1.4 Details of supplier of the safety data sheet

Company : AGent Sales & Services Pty Ltd

Street address : 38 May Holman Drive, Bassendean, Western Australia 6054

Telephone : (+61 8) 6270 4500 / 1300 833 844

Fax : (+61 8) 6270 4544

1.5 Emergency telephone number

Telephone : 1800 995 539

2. HAZARDS IDENTIFICATION

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; **NON-DANGEROUS GOODS**.

This material is hazardous according to Safe Work Australia; HAZARDOUS SUBSTANCE.

2.1 GHS Classification

Skin Irritation – Category 2
Eye Irritation – Category 2A
Acute Toxicity (Oral) – Category 4

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word : WARNING

Hazard statement(s)

H302 Harmful if swallowed.

H312+H315 Harmful in contact with skin. Causes skin irritation.

H319 Causes serious eye damage.

Product Name: Truck Wash
Date of Issue: May, 2020

Version:1.1

Page 1 of 6

Precautionary statement(s)

Prevention

P261 Avoid breathing mist/vapours/spray.

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

P280 Wear eye protection / face protection.
P264 Wash hands thoroughly after handling.

P103 Read label before use.

Response

P301+P312 IF SWALLOWED: Call a POISON CENTRE or doctor/physician if you feel

unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P362 Take off contaminated clothing and wash before reuse.
P337+P313 If eye irritation persists: Get medical advice/attention.
P332+ P313 If skin irritation occurs: Get medical advice/attention.

Storage

P403+P235 Store in a well-ventilated place. Keep cool.

Disposal

P501 Dispose of contents/container in accordance with the

local/regional/national/international regulations.

2.3 Other hazards

None

3. COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS Number	Hazard Code(s)	Concentration (%)
Ethyleneglycol monobutylether	111-76-2	H302, H312, H315	5 – 10
Ingredients determined to be non-hazardous	1	Ι	15 – 20
Demineralised Water	7732-18-5	N/A	Balance

For the full text of the H-Statements mentioned in this section, see Section 16

4. FIRST AID MEASURES

4.1 Description of First Aid measures

General advice

Contact the Poisons Information Centre (Phone: Australia 131 126; New Zealand 0800 764 766) or consult a doctor/physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air – avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. If not breathing, give artificial respiration. Keep at rest until fully recovered. Consult a physician.

In case of skin contact

Immediately remove any contaminated clothing and wash skin and hair thoroughly with running water. If swelling, redness, blistering or irritation occurs seek medical advice. Consult a physician.

In case of eye contact

In case of eye contact, check for and remove any contact lenses. Immediately rinse thoroughly with plenty of running water for at least 15 minutes, keeping eyelids open. In all cases of eye contamination it is a sensible precaution to seek medical advice.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. If swallowed, give a glass of water to drink. Seek medical advice.

Product Name: Truck Wash
Date of Issue: May, 2020

Version:1.1

Page 2 of 6

4.2 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

4.3 First Aid facilities

Eye wash facilities and safety shower should be available.

5. FIRE FIGHTING MEASURES

5.1 Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the chemical

Non-combustible material.

5.3 Special protective equipment and precautions for fire fighters

Decomposes on heating emitting toxic fumes, including oxides of carbon & nitrogen. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to products of decomposition.

5.4 Hazchem code

Not applicable

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid skin and eye contact. Avoid breathing vapours, dust, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protection see Section 8.

6.2 Environmental precautions

Do not let product enter drains or waterways. If contamination of sewers or waterways has occurred advise local emergency services.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust or spreading spill. Use absorptive material (vermiculite, etc.) to sequester spills. Sweep up and shovel. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. For precautions see Section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool, dry place. Keep container tightly closed in a dry, well-ventilated place. Store away from incompatible materials described in Section 10. Not to be used on painted, aluminium or glass surfaces.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

8.1 Control parameters

No value assigned for this specific material by Safe Work Australia.

8.2 Exposure controls

Appropriate engineering controls

Ensure ventilation is adequate to maintain air concentrations below Workplace Exposure Standards. Keep containers closed when not in use.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Personal protective equipment (PPE)

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods and environmental factors.

Product Name: Truck Wash
Date of Issue: May, 2020

Version: 1.1

Page 3 of 6

Eye/face protection

Safety glasses or goggles (where appropriate). See Australian Standards (AS/NZS 1336 & 1337).

Skin protection

Wear protective gloves and protective clothing appropriate for the risk of exposure. See Australian Standards (AS 2161 & 2919 and AS/NZS 2210). Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use. Wash and dry hands.

Respiratory protection

If determined by a risk assessment an inhalation risk exists, wear a dust mask/respirator. See Australian Standards (AS/NZS 1715 & 1716).

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear to slightly cloudy liquid

Colour: Colourless to pale yellow

Odour: Faintly organic

pH: 8 - 10

Melting Point:No data availableBoiling Point:No data availableFlash Point:No data applicableAuto Ignition Temperature:No data availableFlammability:Non-flammable

Specific Gravity:1.05 – 1.08 @ 20 °CVapour Density (air=1):No data availableVapour Pressure:No data availableSolubility in water:Miscible with water

10. STABILITY AND REACTIVITY

10.1 Reactivity

Reacts exothermically with acids.

10.2 Chemical stability

Stable under normal ambient, and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

Avoid contact with acids.

10.5 Incompatible materials

Incompatible with strong oxidising agents, reducing agents and acids.

10.6 Hazardous decomposition products

Oxides of carbon & nitrogen.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label.

Symptoms or effects that may arise if the product is mishandled and over exposure occurs are:

Ingestion: Swallowing may result in nausea, vomiting and abdominal pain.

Eye contact: Contact with eyes will result in eye irritation.

Product Name: Truck Wash
Date of Issue: May, 2020

Version:1.1

Page 4 of 6

Skin contact: Contact with skin may result in irritation.

Inhalation: Breathing in mists or aerosols may product respiratory irritation.

Acute toxicity: No information available for the product.

Chronic Effects: No information available for the product.

11.2 Information on possible routes of exposure

The substance can be absorbed into the body by ingestion and by inhalation.

12. ECOGICAL INFORMATION

12.1 Ecotoxicity

Avoid contaminating waterways.

Quantitative data on the ecological effects of this product are not available.

No ecological problems are to be expected when the product is handled and used with due care and attention.

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

13.1 Disposal methods and containers

Ensure waste disposal conforms to relevant local, state and federal authority waste disposal regulations. All empty packaging should be disposed of as unused product.

13.3 Special precautions for landfill or incineration

Contact a specialist disposal company or the local waste regulator for advice.

14. TRANSPORT INFORMATION

Classified as **NON-DANGEROUS GOODS** by the criteria of the ADG Code for transport by road or rail. Classified as **NON-DANGEROUS GOODS** by the criteria of the IMDG Code for transport by sea. Classified as **NON-DANGEROUS GOODS** by the criteria of the IATA Code for transport by air.

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

Poisons Schedule : S5

Carcinogen classification under WHS Regulations 2011, Schedule 10

Not listed

Notification status

AICS On the inventory, or in compliance with the inventory.

16. OTHER INFORMATION

Key / legend to abbreviations and acronyms used in the SDS

ADG Australian Dangerous Goods

ASCC Australian Safety and Compensation Council
DEC Department of Environment and Conservation
NOHSC National Occupational Health and Safety Commission
SUSDP Standard for the Uniform Scheduling of Drugs and Poisons

Eye Dam. Serious eye damage

Product Name: Truck Wash
Date of Issue: May, 2020

Version:1.1

Page 5 of 6

TWA Time weighted average STEL Short term exposure level SWA Safe Work Australia

Peak Limitations A ceiling concentration that should not be exceeded over a measurement period, which should be as short as

possible, but not exceeding 15 minutes

LD₅₀ Lethal dose 50. The single dose of a substance that causes the death of 50% of an animal population from

exposure to the substance by any route other than inhalation

LC₅₀ Lethal concentration that kills 50% of an animal population within a specified time TD Lo

The lowest dose of a substance known to have produced signs of toxicity

RTECS Registry of Toxic Effects of Chemical Substances

g/L Grams per litre

g/cm³ Grams per cubic centimetre mg/m³ Milligrams per cubic metre mg/kg Milligrams per kilogram

pH Relates to hydrogen ion concentration - this value will relate to a scale of 0 - 14, where 0 is highly acidic and 14

is highly alkaline

WHS Work Health and Safety

Literature references

"Workplace Exposure Standards for Airborne Contaminants, December 2011" by SWA Work Health and Safety Regulations 2011

Reason(s) for Issue:

Update Contact Details

Disclaimer

AGent Sales & Services Pty Ltd provides the information contained herein in good faith but makes no representation as to its' comprehensiveness or accuracy. A properly trained person using this product intends this document only as a guide to the appropriate precautionary handling of the material. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose. AGent Sales & Services Pty Ltd makes no representations or warranties, either express or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly, AGent Sales & Services Pty Ltd will not be responsible for damages resulting from use of or reliance upon this information.

Product Name: Truck Wash
Date of Issue: May, 2020

Version:1.1

Page 6 of 6